



Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :
American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: [REDACTED]

DATE : Jul 24, 2007

CC: [REDACTED]

[REDACTED] DOMESTIC VENDOR

| HARDLINES TEST REPORT | |
|-----------------------|--------------------------------|
| W.O NO. | -- |
| DATE OF SUB. | JUL 19, 2007, JUL 20, 2007. |
| NO. OF WORKING DAYS | 2 |

STORES: [REDACTED] SEARS-USA SEARS-CANADA TGI LANDS' END

DEPT 004.
BUYER [REDACTED]
BRAND NAME --

| | |
|----------------------------|---|
| APPROVED | |
| APPROVED WITH COMMENTS | X |
| CORRECTIVE ACTION REQUIRED | |
| REJECTED | |

SAMPLE DESCRIPTION: HANNAH MONTANA MAGIC THEATRE.
 JAZWARES, INC.

VENDOR/AGENT.: _____ FACTORY: [REDACTED]
 STYLE/CODE NO.: 21028/060803636117. CONTRACT #: B386A.
 COUNTRY OF ORIGIN: CHINA. 1ST SHIPDATE: JUL 30.
 INSPECTION OFFICE: HONG KONG. COLOR/SIZE: --
 PACKAGE PROVIDED: YES.

| | |
|---|--|
| <input checked="" type="checkbox"/> PRE-PRODUCTION SAMPLE | <input type="checkbox"/> PRODUCTION SAMPLE |
| <input type="checkbox"/> PRE-PRODUCTION COLOR SWATCHES | <input type="checkbox"/> PRODUCTION RETEST |
| <input type="checkbox"/> PRE-PRODUCTION RETEST | PREVIOUS REPORT NO. _____ |
| <input type="checkbox"/> OTHER : _____ | |
| APPLICABLE TO SHC-6572: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> | CA PROP65 WARNING: WITH <input type="checkbox"/> W/O <input checked="" type="checkbox"/> |

TO BE CONTINUED

FOR AND ON BEHALF OF :
INTERTEK TESTING SERVICES HK LTD.

[REDACTED]
[REDACTED]
[REDACTED]

TESTING OF VENDOR'S MERCHANDISE BY SHGS IS NOT A SUBSTITUTE FOR VENDOR'S OWN TESTING AND OTHER QUALITY ASSURANCE RELATED OBLIGATIONS IN CONNECTION WITH ITS SALE OF MERCHANDISE TO SHGS. SHGS TESTING SHALL NOT LIMIT SHG'S RIGHTS, OR DIMINISH OR REMOVE ANY OF VENDOR'S RESPONSIBILITIES, UNDER SHG'S PURCHASE ORDER TERMS AND CONDITIONS INCLUDING, WITHOUT LIMITATION, THOSE RELATING TO WARRANTY AND INDEMNIFICATION UNDER PARAGRAPHS 2 & 3 THEREOF.



Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :
American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: [REDACTED]

EXECUTIVE SUMMARY:

TESTING PROTOCOL : SHC-8000 DATED JUN 25, 2007.
SHC-6572 DATED JUN 15, 2007.


| TEST PROPERTY | APPROVED | APPROVED WITH COMMENTS | CORRECTIVE ACTION REQUIRED | REJECTED |
|---------------------------|----------|------------------------|----------------------------|----------|
| SHC-6572 | X | | | |
| SAFETY | X | | | |
| LABELLING AND CLAIM | | X | | |
| WORKMANSHIP & PERFORMANCE | X | | | |

COMMENTS:

#1 = THE WARNING "DO NOT DISPOSE OF BATTERIES IN FIRE, BATTERIES MAY EXPLODE OR LEAK" WAS MISSING. (APPROVED WITH COMMENT)

SHOULD YOU HAVE ANY QUERY ON THIS REPORT, YOU MAY CONTACT [REDACTED]

FOR AND ON BEHALF OF :
INTERTEK TESTING SERVICES HK LTD.



TESTING OF VENDOR'S MERCHANDISE BY SHGS IS NOT A SUBSTITUTE FOR VENDOR'S OWN TESTING AND OTHER QUALITY ASSURANCE RELATED OBLIGATIONS IN CONNECTION WITH ITS SALE OF MERCHANDISE TO SHGS. SHGS TESTING SHALL NOT LIMIT SHG'S RIGHTS, OR DIMINISH OR REMOVE ANY OF VENDOR'S RESPONSIBILITIES, UNDER SHG'S PURCHASE ORDER TERMS AND CONDITIONS INCLUDING, WITHOUT LIMITATION, THOSE RELATING TO WARRANTY AND INDEMNIFICATION UNDER PARAGRAGHS 2 & 3 THEREOF.



Hong Kong Government Recognized Service Supplier
 Approved Laboratory of The Woolmark Company

Members of :
 American National Standards Institute
 American Society for Testing and Materials
 British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
 Hong Kong Toys Council

TEST REPORT

NUMBER: [REDACTED]

TESTS CONDUCTED

TEST PROTOCOL FOR TOYS (SHC-8000)

Labeled Age Group: Ages 7+.

Age Grading for Testing: Ages over 7 years.

| Evaluation | Citation / Method | Result | Rating |
|--|--|---|----------|
| SUPPLEMENTAL PROTOCOLS | | | |
| CA Prop 65 | Applicable Section from Protocol SHC-6572 | Please refer to the other protocol SHC-6572 Please refer to CPSC Total Lead Content result for paint coating | -- |
| | Warnings not permitted | Without Warning | Approved |
| LABELING REQUIREMENTS | | | |
| Uniform Packaging And Labeling Act | UPLR | Meet | Approved |
| 16 CFR 500 Fair Packaging and Labeling Act | FPLA | Not Applicable | -- |
| Parts Labeling | Visual | Meet | Approved |
| Instructions | Visual | Meet | Approved |
| Country Of Origin | 19 CFR 134.11 | Meet | Approved |
| Stuffed Toy Labeling | PA / MA / OH Stuffed Toy Law | Not Applicable | -- |
| Bedding And Upholstered Furniture Labeling | Association of Bedding and Furniture | Not Applicable | -- |
| 16 CFR 1500-83(a)(23) Chemistry Set Labeling | 16 CFR 1500.83 (a)(23) | Not Applicable | -- |
| CA Health & Safety Code 108870 (marking) | CA Health & Safety Code, Section 108870 | Not Applicable | -- |
| 21 CFR 101 Food Labeling | 21 CFR 101 | Not Applicable | -- |
| 21 CFR 170-189 Food Ingredient List Review | 21 CFR 73, 74, 82 and 170 through 189 | Not Applicable | -- |
| FDA Ingredient List Evaluation FDA 21 CFR Cosmetic Labeling Review | ASTM F963-03, Section 4.3.4 21 CFR 73, 74, 81, 82, 700 – 740 | Not Applicable | -- |
| FCC Labeling | FCC | Not Applicable | -- |
| Age Grading | ASTM F963-07, Section 5.2 / Annex A1 | Labeled Age Group: Ages 7+. Age Grading for Testing: Ages over 7 years. | Approved |
| Aquatic Toys | ASTM F963-07, Section 5.4 & 5.3 | Not Applicable | -- |
| Crib And Playpen Toys | ASTM F963-07, Section 5.5 & 5.3 / 4.26.3 & 6.3 | Not Applicable | -- |
| Mobiles | ASTM F963-07, Section 5.6 & 5.3 / 4.26.2 & 6.4 | Not Applicable | -- |
| Strollers And Carriages | ASTM F963-07, Section 5.7 & 5.3 / 4.29 | Not Applicable | -- |
| Toys Intended To Be Assembled By An Adult | ASTM F963-07, Section 5.8 & 5.3 & 6.5 | Not Applicable | -- |

TEST REPORT

NUMBER: XXXXXXXXXX

TESTS CONDUCTED

| Evaluation | Citation / Method | Result | Rating |
|--|---|----------------|----------|
| Simulated Protective Devices | ASTM F963-07, Section 5.9 & 5.3 / 4.19.2 | Not Applicable | -- |
| Toys With Functional Sharp Edges or Sharp Points | ASTM F963-07, Section 5.10 & 5.3 / 4.7.2 / 4.9.2 | Not Applicable | -- |
| Small Objects | ASTM F963-07, Sec. 5.11.2 & 5.11.1, 4.6.3 16 CFR 1500.19 | Not Applicable | -- |
| Balls | ASTM F963-07, Sec. 5.11.3 & 5.11.1, 4.35.2 16 CFR 1500.19 | Not Applicable | -- |
| Balls In Toys Or Games | ASTM F963-07, Sec. 5.11.3.1 & 5.11.1, 4.35.2 16 CFR 1500.19 | Not Applicable | -- |
| Marbles | ASTM F963-07, Sec. 5.11.4 & 5.11.1, 4.34.1 16 CFR 1500.19 | Not Applicable | -- |
| Marbles In Toys Or Games | ASTM F963-07, Sec. 5.11.4.1 & 5.11.1, 4.34.1 16 CFR 1500.19 | Not Applicable | -- |
| Balloons | ASTM F963-07, Sec. 5.11.5 & 5.11.1, 4.32 16 CFR 1500.19 | Not Applicable | -- |
| Toy Caps | ASTM F963-07, Section 5.12 16 CFR 1500.86 | Not Applicable | -- |
| Art Materials | ASTM F963-07, Section 5.13 / 16 CFR 1500.14(b)(8) | Not Applicable | -- |
| Electric Toys | ASTM F963-07, Section 5.14 16 CFR 1505.3 | Not Applicable | -- |
| Battery-Operated Toys | ASTM F963-07, Section 5.15, 6.6.1 & 6.6.2 | Meet | Approved |
| Battery-Powered Ride On Toys | ASTM F963-07, Section 5.15.1 & 5.3 & 6.6.3 & 7.3 | Not Applicable | -- |
| Promotional Materials | ASTM F963-07, Section 5.16 | Meet | Approved |
| Definition and Description | ASTM F963-07 Section 5.17 | Meet | Approved |
| Toy Chests | ASTM F963-07, Section 6.2 / 7.2.1 / 4.27.5 7.2.2. & 7.2.3 | Not Applicable | -- |
| Toys In Contact With Food | ASTM F963-07, Section 6.7 / 4.3.3.1 | Not Applicable | -- |
| Producers Marking | ASTM F963-07, Section 7.1 | Meet | Approved |

TEST REPORT

NUMBER: XXXXXXXXXX

TESTS CONDUCTED

| Evaluation | Citation / Method | Result | Rating |
|---|--|--|-----------|
| Button Cell | Client's specification | Meet (See comment #1) | AWC |
| Toys Containing a Magnet | Visual | Not Applicable | -- |
| SAFETY REQUIREMENTS | | | |
| 16 CFR 1500.44 Flammability (solids) | ASTM F963-07, Section 4.2 & Annex A4 / 16 CFR 1500.44 | The most severe burn rate = 0.02 in/s | Approved |
| 16 CFR 1610 Flammability (clothing textiles) | ASTM F963-07, Section 4.2 & Annex A4 / 16 CFR 1610 | Not Applicable | -- |
| 16 CFR 1500.3 Toxicity & Irritancy By TRA – doc review | ASTM F963-07, Section 4.3.1 / 16 CFR 1500.3 | Not Applicable | -- |
| 21 CFR 175-177. 181 Toys In Contact With Food – doc review | ASTM F963-07 Section 4.3.3 / 21 CFR 170 - 189 | Not Applicable | -- |
| FDA Extractable Lead & Cadmium (ceramic interior) | ASTM F963-07, Section 4.3.3.2 / FDCA Section 402 | Not Applicable | -- |
| CA Health & Safety 25249.5 (Prop65 lead/cad) – 12 pcs | Safe Drinking Water & Toxic Enforcement Act, California Health & Safety Code | Not Applicable | -- |
| SGCD Extractable Lead & Cadmium (rim) | SGCD | Not Applicable | -- |
| 21 CFR 700.13 Mercury in cosmetics – doc review | 21 CFR 700.13 | Not Applicable | -- |
| 16 CFR 1303 Lead Content in Paint and Similar Surface Coating Materials | ASTM F963-07, Section 4.3.5.1 / 16 CFR 1303 | Please refer to the attached test data for details. | Approved |
| ASTM F963 Soluble Heavy Metals Content In Paint And Similar Surface Coating Materials | ASTM F963-07, Section 4.3.5.2 / 8.3 | NR | NR |
| CPSC Children's Metal Jewelry – Total Lead CPSC Children's Metal Jewelry – Acid Extraction | CPSC Interim Enforcement Policy for Children's metal Jewelry Containing Lead | Not Applicable | -- |
| ASTM F963 Total Plate Count & Total Coliform | ASTM F963-07, Section 4.3.6.1 | Not Applicable | -- |
| USP <61> Microbial Limit Test – doc review | ASTM F963-07, Section 4.3.6.3 / 8.4.1 / USP <61> | Not Applicable | -- |
| Total aerobic count | | | |
| USP <51> Preservative Effectiveness – doc review | ASTM F963-07, Section 4.3.6.3 / 8.4.2 / USP <51> | Not Applicable | -- |
| ASTM F963 DEHP Content - doc review | ASTM F963-07, Section. 4.3.8 | Not Applicable | -- |
| Stuffing Materials | Visual | Not Applicable | -- |



Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute


Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: XXXXXXXXXX

TESTS CONDUCTED

| Evaluation | Citation / Method | Result | Rating |
|---|--|----------------|----------|
| Sound-Producing Toys | | | |
| A weighted equivalent sound pressure level of continuous sounds produced by close to the ear toys | ASTM F963-07, Section 4.5.1.1 / 8.20 | Not Applicable | -- |
| A weighted equivalent sound pressure level of continuous sounds produced by all other toys except pull along or wind up spring propelled toys | ASTM F963-07, Section 4.5.1.2 / 8.20 | Not Applicable | -- |
| A weighted maximum sound pressure for passed by test | ASTM F963-07, Section 4.5.1.2 / 8.20 | Not Applicable | -- |
| C weighted peak sound pressure level of impulsive sounds produced by close to the ear toys | ASTM F963-07, Section 4.5.1.3 / 8.20 | Not Applicable | -- |
| C weighted peak sound pressure level of impulsive sounds produced by toy excluding explosive action | ASTM F963-07, Section 4.5.1.4 / 8.20 | Not Applicable | -- |
| C weighted peak sound pressure level of impulsive sounds produced by Percussion Caps and explosive action | ASTM F963-07, Section 4.5.1.5 / 8.20 | Not Applicable | -- |
| Small Objects | ASTM F963-07, Section 4.6.1 / 16 CFR 1501 | Not Applicable | -- |
| Mouth-Actuated Toys | ASTM F963-07, Section 4.6.2 / 8.13 | Not Applicable | -- |
| Accessible Edges | ASTM F963-07, Section 4.7 / 16 CFR 1500.49 | Meet | Approved |
| Projections | ASTM F963-07, Section 4.8 | Not Applicable | -- |
| Accessible Points | ASTM F963-07, Section 4.9 / 16 CFR 1500.48 | Meet | Approved |
| Wires or Rods | ASTM F963-07, Section 4.10 / 8.12 | Not Applicable | -- |
| Nails and Fasteners | ASTM F963-07, Section 4.11 | Meet | Approved |
| Packaging Film | ASTM F963-07, Section 4.12 / 8.22 | Meet | Approved |
| Folding Mechanisms and Hinges | ASTM F963-07, Section 4.13 | Not Applicable | -- |
| Cords, Straps and Elastics in Toys | ASTM F963-07, Section 4.14.1 / 8.23 | Not Applicable | -- |
| Self Retracting Pull Cords | ASTM F963-07, Section 4.14.2 | Not Applicable | -- |
| Pull Toys | ASTM F963-07, Section 4.14.3 | Not Applicable | -- |
| Strings and Lines for Flying Devices | ASTM F963-07, Section 4.14.4 | Not Applicable | -- |
| Cords on Toy bags Intended for Children Up to 18 Months | ASTM F963-07, Section 4.14.5 | Not Applicable | -- |
| Stability and Overload | ASTM F963-07, Section 4.15 / 8.16 & 8.21 | Not Applicable | -- |



Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: [REDACTED]

TESTS CONDUCTED

| Evaluation | Citation / Method | Result | Rating |
|---|--|----------------|----------|
| Confined Spaces | ASTM F963-07, Section 4.16 | Not Applicable | -- |
| Wheels, Tires and Axles | ASTM F963-07, Section 4.17 | Not Applicable | -- |
| Holes, Clearances, and Accessibility of Mechanisms | ASTM F963-07, Section 4.18 | Meet | Approved |
| Simulated Protective Devices (Rigid toys that cover the face) | ASTM F963-07, Section 4.19.1 | Not Applicable | -- |
| 16 CFR 1511 Pacifiers | ASTM F963-07, Section 4.20 / 16 CFR 1511 | Not Applicable | -- |
| Nitrosamines in rubber pacifiers – doc review | ASTM F963-07, Section 4.20.1 / ASTM F1313 | Not Applicable | -- |
| Toy Pacifiers | ASTM F963-07, Section 4.20.2 / 16 CFR 1511 | Not Applicable | -- |
| Projectile Toys | ASTM F963-07, Section 4.21 | Not Applicable | -- |
| Teethers and Teething Toys | ASTM F963-07, Section 4.22 / 16 CFR 1510 | Not Applicable | -- |
| Rattles | ASTM F963-07, Section 4.23 / 16 CFR 1510 | Not Applicable | -- |
| Squeeze Toys | ASTM F963-07, Section 4.24 / 16 CFR 1510 | Not Applicable | -- |
| Battery Operated Toys | ASTM F963-07, Section 4.25 | Meet | Approved |
| Battery-Powered Ride-On Toys | ASTM F963-07, Section 4.25.10 | Not Applicable | -- |
| Toys Intended To Be Attached To A Crib Or Playpen | ASTM F963-07, Section 4.26 | Not Applicable | -- |
| Toys Chests | ASTM F963-07, Section 4.27 | Not Applicable | -- |
| Toys Chests Lid Support | ASTM F963-07 Section 4.27.1.2 / 8.14.1.2 | Not Applicable | -- |
| Stuffed and Beanbag-type Toys | ASTM F963-07, Section 4.28 / 8.9.1 | Not Applicable | -- |
| Toy Gun Marking | ASTM F963-07, Section 4.31 15 CFR 1150 | Not Applicable | -- |
| Certain Toys with Spherical End | ASTM F963-07, Section 4.33 | Not Applicable | -- |
| Balls | ASTM F963-07, Section 4.35.1 / 16 CFR 1500.18(a)(17) | Not Applicable | -- |
| Pom Poms | ASTM F963-07, Section 4.36 / 8.17 | Not Applicable | -- |
| Hemispheric-Shaped Objects | ASTM F963-07, Section 4.37 | Not Applicable | -- |
| Yo Yo Elastic Tether Toys | ASTM F963-07, Section 4.38 | Not Applicable | -- |
| Magnets | ASTM F963-07, Section 4.39 | Not Applicable | -- |



Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: [REDACTED]

TESTS CONDUCTED

| Evaluation | Citation / Method | Result | Rating |
|--|--|-------------------------------------|-----------|
| 16 CFR 1500 Dive Stick | 16 CFR 1500 | Not Applicable | -- |
| *Californial Legislature 2007-08 Assembly Bill No. 1108 – Phthalates (by request only) | ASTM D3421 | Not Applicable | -- |
| *Californial Legislature 2007-08 Assembly Bill No. 1108 – Bisphenol A (by request only) | Solvent extraction, followed by High Performance Liquid Chromatography | Not Applicable | -- |
| 16 CFR 1505 Electrically Operated Toys – doc review | ASTM F963-07, Section 4.4 16 CFR 1505 | Not Applicable | -- |
| UL 696 Electric Toys – doc review | UL 696 | Not Applicable | -- |
| UL 697 Toy Transformers – doc review | UL 697 | Not Applicable | -- |
| UL 1310 Class 2 Power Units – doc review | UL 1310 | Not Applicable | -- |
| UL 1492 Audio-Video Products and Accessories – doc review | UL 1492 | Not Applicable | -- |
| 16 CFR 1500.3(c)(6) Extremely Flammable, Flammable, and Combustible Liquids | 16 CFR 1500.3(c)(6) / 16 CFR 1500.43a | Not Applicable | -- |
| 16 CFR 1500.231 Hazardous chemicals in liquid – doc review | 16 CFR 1500.231 | Not Applicable | -- |
| Art Material (LHAMA) Evaluation – doc review | ASTM F963-07, Section 4.30 16 CFR 1500.14(b)(8) ASTM D-4236 | Not Applicable | -- |
| CPSC Lead From Crayons & Art Supplies | CPSC Guidance Letter 1 | Not Applicable | -- |
| CPAI-84 Flammability (camping tentage) | CPAI-84 | Not Applicable | -- |
| CPAI-75 Flammability (sleeping bags) | CPAI-75 | Not Applicable | -- |
| Fiber composition – AATCC 20A Quantitative (Wearing Apparel) | 16 CFR 303 | Not Applicable | -- |
| Wearing Apparel – Care Label verification | 16 CFR 423 | Not Applicable | -- |
| ANSI Z80.3 Luminous Transmittance – doc review ANSI Z80.3 Traffic Signal Recognition – doc review | ANSI Z80.3 | Not Applicable | -- |
| 21 CFR 801.410 FDA Lens Impact – doc review | 21 CFR 801.410 | Not Applicable | -- |
| 16 CFR 1203 Safety Standard for Bicycle Helmet – doc review | 16 CFR 1203 | Not Applicable | -- |
| US PL 104-142 Mercury in Batteries – doc review | Battery Act, Public Law 104-142 | No related doc was provided. | NR |
| CONEG – doc review | CONEG | No related doc was provided. | NR |
| WORKMANSHIP AND PERFORMANCE REQUIREMENTS | | | |
| General Requirements | | | |
| Dimensions | Standard Measure | Not Specified | -- |
| Total Weight | Standard Measure | Not Specified | -- |
| PO Specified Feature | Visual | Meet | Approved |
| Workmanship | Visual | Meet | Approved |



Hong Kong Government Recognized Service Supplier
 Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
 American Society for Testing and Materials
 British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
 Hong Kong Toys Council

TEST REPORT

NUMBER: XXXXXXXXXX

TESTS CONDUCTED

| Evaluation | Citation / Method | Result | Rating |
|--|--|----------------|----------|
| Function | Per Instruction or Intended | Meet | Approved |
| Claim Verifications | Per Claim | Meet | Approved |
| * Battery life test (For Brands "Just Kidz", "My First Craftsman" & "My First Kenmore" with "Try Me" or "Try-On Function") | ANSI C18.1 Part 1 & IEC 60086-2 (mod.) | Not Applicable | -- |
| Pools (with water depth less than 36 inch) Requirements | | Not Applicable | -- |
| Baby & Toddler Floats Requirements | | Not Applicable | -- |
| Inflatable Water Items Requirements | | Not Applicable | -- |
| Swimming Accessories (Goggles, Mask, Snorkel, Swim Fin, Swim Cap, Ear Plugs, Nose Clip, etc...) Requirements | | Not Applicable | -- |
| Kites Requirements | | Not Applicable | -- |
| Toy Chests Requirements | | Not Applicable | -- |

Key:

* Additional Charge For This Test ** Mandatory Requirement

Results Key:

| | | | |
|----|----------------|----|---------------|
| M | Meets | NM | Does Not Meet |
| NA | Not Applicable | NT | Not Tested |
| C | Claimed | R | Recorded |
| NR | Not Requested | | |

Rating Key:

| |
|----------------------------------|
| Approved |
| Approved with Comments (AWC) |
| Corrective Action Required (CAR) |
| Rejected |

| Testing Parameter | Age (Months) | Abuse Test Conditions |
|-------------------|--------------|------------------------|
| Drop Test | >36 to ≤96 | 3 ft (0.91m), 4 drops |
| Torque Test | >36 to ≤96 | 4 in - lb (0.45 N - m) |
| Tension Test | >36 to ≤96 | 15 lb (66.8 N) |
| Compression Test | >36 to ≤96 | 30 lb (133.5 N) |
| Flexure Test | >36 to ≤96 | 15 lb (66.8 N) |

DATE SAMPLE RECEIVED : JUL 19, 2007

TESTING PERIOD : JUL 19, 2007 TO JUL 23, 2007



Hong Kong Government Recognized Service Supplier
 Approved Laboratory of The Woolmark Company

Members of :
 American National Standards Institute
 American Society for Testing and Materials
 British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
 Hong Kong Toys Council

TEST REPORT

NUMBER: XXXXXXXXXX

TESTS CONDUCTED

TEST PROTOCOL FOR CALIFORNIA PROPOSITION 65 (SHC-6572)

| Evaluation | Citation/Method | Criteria | Result | Rating |
|-------------------------------|--|--|---|----------|
| PVC Coated Cords (Electrical) | US EPA SW846, Method #3050, Lead in sludge / soils / (San Francisco Superior Court, 312962) | 300 ppm (0.03%) or less total lead. Cords, cables and other Covered Products may be exempt from Prop 65 Warning if the following criteria are met: a. The surface contact layer of cords has a lead content by weight of no more than 300 ppm, and b. Their size, weight or function and handling of cords is only infrequently where typically not "plugged" and "unplugged" NOTE: See Attachment 1 for product specific requirements in SHC-6572. | Please refer to attached data for details | Approved |

DATE SAMPLE RECEIVED : JUL 19, 2007
 TESTING PERIOD : JUL 19, 2007 TO JUL 23, 2007



Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :
American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: [REDACTED]

TESTS CONDUCTED

1 TOTAL LEAD (Pb) CONTENT

AS PER U.S. CODE OF FEDERAL REGULATIONS TITLE 16 PART 1303, ACID DIGESTION METHOD WAS USED AND TOTAL LEAD CONTENT WAS DETERMINED BY INDUCTIVELY COUPLED ARGON PLASMA SPECTROMETRY.

RESULT : LESS THAN 10 ppm

LIMIT : 600 ppm

ppm = PARTS PER MILLION

TESTED COMPONENT : COATINGS ON SAMPLE (PROJECTOR, REMOTE, SLIDES).

DATE SAMPLE RECEIVED : JUL 19, 2007
TESTING PERIOD : JUL 19, 2007 TO JUL 20, 2007

2 TOTAL LEAD (Pb) CONTENT

WITH REFERENCE TO US EPA METHOD 3052, ACID DIGESTION METHOD WAS USED AND TOTAL LEAD CONTENT WAS DETERMINED BY INDUCTIVELY COUPLED ARGON PLASMA SPECTROMETRY.

| <u>TESTED COMPONENT</u> (1/2) | <u>RESULT IN ppm</u> <10 | <u>LIMIT IN ppm</u> 300 (MAX.) |
|----------------------------------|-----------------------------|-----------------------------------|
|----------------------------------|-----------------------------|-----------------------------------|

< = LESS THAN
ppm = PARTS PER MILLION

TESTED COMPONENTS :

- (1) WHITE PLASTIC (WIRE COVERING).
- (2) WHITE PLASTIC (PLUG).

DATE SAMPLE RECEIVED : JUL 19, 2006
TESTING PERIOD : JUL 19, 2006 TO JUL 20, 2006

Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: [REDACTED]

TESTS CONDUCTED



END OF REPORT